

TQC DUST TEST KIT

SP3200

DATASHEET

PRODUCT DESCRIPTION

The TQC SP3200 Dust Test Kit to assess the quantity and size of dust particles on blast cleaned surfaces prepared for painting.

BUSINESS

Protective Coatings, Corrosion Control, Surface Finishing, Powder Coating, Decorative Coatings, Building Maintenance

STANDARDS

ISO8502-3

FEATURES**Compact and complete:**

- A strong binder holds all necessary forms and visual comparator and has an integrated compartment for tape, scissors and illuminated magnifier. The binder closes with Velcro-strips to secure the content.

Convenient:

- Report Forms have space for 5 different test results. All the information that the ISO8502-3 standard requires can be filled in through check boxes or in pre-defined areas. This guarantees complete and valid reports.
- Display board shows clearly the different quantity ratings but also has a unique size-comparator for both light and dark dust particles. A black and white contrast files is included as well.
- The pictorial manual shows the test method in a clear way and can be used in any "language". The Sample Transfer sheet is made of scratch resistant, high transparent plastic with pre-printed positions. It is conveniently fixed by a Velcro strip for easy detachment and replacement.

Quality:

- The strong binder is suitable for field use. It holds all forms and accessories and is locked by a Velcro strip. No loose items!
- The illuminated magnifier has real glass optics for a clear view (no plastic lenses)

SCOPE OF SUPPLY**Strong binder with:**

- Battery powered (2xAA) portable 10x magnifier with glass lens and integrated light source
- Adhesive tape acc. ISO 8502-3 (adhesion peel strength of at least 190N per metre width)
- Pair of Scissors
- Pictorial manual
- Comparator display board in black and white, to assess dust quantity and dust particle size
- Sample transfer sheet
- Report forms (25 pieces)



ORDERING INFORMATION


SP3200 – TQC Dust Test Kit

ACCESSORIES

- SP3600 Spring loaded roller for dust tape test
- SP3220 Display Board (set of 2 pieces)
- SP3209 Roll of adhesive tape
- SP3221 Sample Transfer Sheet (set of 10 pieces)
- SP3222 Report Form Block à 125 pages

USE

DUST TEST PROCEDURE



© TQC bv info@tqc.eu www.tqc.eu

SAFETY PRECAUTIONS

- Not suitable to be put in direct sun light or other strong light sources.
- Scissors are sharp. Be careful when in use.

DISCLAIMER

The right of technical modifications is reserved.

The information given in this sheet is not intended to be exhaustive and any person using the product for any purpose other than that specifically recommended in this sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. Whilst we endeavour to ensure that all advice we give about the product (whether in this sheet or otherwise) is correct we have no control over either the quality or condition of the product or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing to do so, we do not accept any liability whatsoever or howsoever arising for the performance of the product or for any loss or damage (other than death or personal injury resulting from our negligence) arising out of the use of the product. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.